


GEAR PUMPS PRINCE

ENGINEERING

1



INSTALLATION DRAWING



PUMP	DISPLACEMENT		A	В	INLET PORT	OUTLET PORT	RATED PRESSURE	MAX	APPROX. WEIGHT
	CC/REV	IN^3/REV	(MAX.)		(SAE)	(SAE)	PSI [BAR]	RPM	LBS [KG.]
05	8	0.499	4.30 [109,2]	1.83 [46,5]	- / 6- 2 (# 2)	7/8-14 (#10)	3000 [207]	4000	5.I [2,3]
07	11	0.677	4.46 [3,3]	1.91 [48,5]	- / 6- 2 (# 2)	7/8-14 (#10)	3000 [207]	4000	5.5 [2,5]
10	16	0.976	4.71 [119,6]	2.04 [51,8]	- / 6- 2 (# 2)	7/8-14 (#10)	3000 [207]	4000	6.0 [2,7]
I 4	23	1.403	5.09 [129,3]	2.23 [56,6]	1-5/16-12 (#16)	- / 6- 2 (# 2)	2500 [172]	3500	6.4 [2,9]
20	33	2.014	5.62 [142,7]	2.49 [63,2]	1-5/8-12 (#20)	-5/ 6- 2 (# 6)	2500 [172]	3500	7.6 [3,4]

516152-015

Telephone: (414) 327-1700 Fax: (414) 327-0532 OILGEAR 2300 So. 51st Street Milwaukee, WI USA 53219 Issued: January, 2011 DS-47945-A




GEAR PUMPS HALDEX

ENGINEERING

1



INSTALLATION DRAWING



(FOR COUNTERCLOCKWISE ROTATION, INLET AND OUTLET ARE REVERSED.)

DIMENSIONS INCHES

PUMP		CEMENT (in^3)	A (max.)	B (to port centerline)	C (max.)	D	E	F			PRESSURE RATING ORCONT. psi ET[bar]	RPM	APPROX.WT. bs. [kg.]
0.5	8	0.49	3.74 [95,0]	1.79 [45,5]	4.21	2.74 [69,5]	0.63	3.44 [87,4]	- / 6- 2 (# 2)	7/8-14 (#10)	2500 [172]	3000	8. l [3, 7]
07	11	0.67	3.91 [99,4]	1.87 [47,7]	4.21 [107,0]	2.74 [69,5]	0.63	3.44 [87,4]	1-1/16-12	7/8-14 (#10)	2500 [172]	3000	8.4 [3,8]
10	16	0.98	4.20 [106,8]	2.02 [51,4]	4.21	2.74 [69,5]	0.63	3.44 [87,4]	1-1/16-12	7/8-14 (#10)	2500 [172]	2400	9.0 [4,]
1 4	23	1.4	4.61 [117,2]	2.23 [56,6]	4.21 [107,0]	2.74 [69,5]	0.63	3.44 [87,4]	1-5/16-12 (#16)	- / 6- 2 (# 2)	2000 [138]	2400	9.6 [4,4]
20	33	2.01	6.56 [161,6]	3.80 [96,6]	5.30 [134,6]	3.45 [87,6]	0.80 [20,3]	4.33	1-5/8- 2 (#20)	1-5/16-12	500 [103]	2400	20.I [9,I]

516152-015

Telephone: (414) 327-1700 Fax: (414) 327-0532 OILGEAR 2300 So. 51st Street Milwaukee, WI USA 53219 Issued: January, 2011 DS-47945-A